

# Handgrip Strength in One-Month-Old Infants: How Strong Are They?

Aoyama Tomoko<sup>1,2,3</sup>, Yago Satoshi<sup>4</sup>, Okamitsu Motoko<sup>4</sup>, Taki Atsuko<sup>5</sup>, Morio Tomohiro<sup>5</sup>, Tarui Iori<sup>3</sup>, Shitara Kayo<sup>3,6</sup>, Imai Chihiro<sup>7</sup>, Fudono Ayako<sup>7</sup>, Sato Noriko<sup>7</sup>, Miyasaka Naoyuki<sup>8</sup>, Takimoto Hidemi<sup>3</sup>

<sup>1</sup>Liggins Institute, University of Auckland, New Zealand <sup>2</sup>Japan Society for the Promotion of Science, Japan <sup>3</sup>Department of Nutritional Epidemiology and *Shokuiku*, National Institutes of Biomedical Innovation, Health and Nutrition, Japan

<sup>4</sup>Child and Family Nursing, Graduate School of Health Care Sciences, Tokyo Medical and Dental University (TMDU), Japan <sup>5</sup>Department of Child Health and Development, Graduate School of Medical and Dental Sciences, TMDU, Japan

<sup>6</sup>Saitama Women's Junior College, Japan <sup>7</sup>Department of Molecular Epidemiology, Medical Research Institute, TMDU, Japan <sup>8</sup>Department of Comprehensive Reproductive Medicine, Graduate School of Medical and Dental Sciences, TMDU, Japan

## Background

Decreased muscle strength is often discussed in relation to developmental disorders.

However, muscle strength during early stages of life has not been systematically evaluated.

A newly designed dynamometer for babies allows us to assess handgrip strength at early life stages.

## Purpose

To investigate the feasibility and performance of the handgrip strength test in one-month-old newborns using the newly designed dynamometer.


## Participants

14 healthy term babies (31.6 ± 3.3 days of age) visiting the hospital for health check-ups (all singleton; 6/14 girls; 3/14 caesarean section)

## Test & Analysis

New dynamometer for babies

[Takei Scientific Instruments Co., Ltd.]



- ▶ Measured peak value of grasp reflex
- ▶ Right → left → right → left
- ▶ The highest value → analysis

## Results & Discussion

Table 1. Characteristics of the Participants

	Mean ± SD
Maternal age (year)	34.1 ± 3.5
Gestational age (wk)	39.7 ± 1.0
Maternal Height (cm)	159.6 ± 4.0
Maternal pre-pregnancy weight (kg)	54.9 ± 10.8
Maternal weight at birth (kg)	63.7 ± 10.5
Birth weight (g)	3106 ± 343
Birth length (cm)	50.0 ± 1.1
Head circumference at birth (cm)	34.0 ± 0.9
Chest circumference at birth (cm)	32.8 ± 1.4

Table 2. Test Results

Participant	Handgrip Strength (kg)				Max
	Right 1	Left 1	Right 2	Left 2	
A	0.88	0.42	0.45	0.96	0.96
B	0.27	0.47	NA	NA	0.47
C	0.76	0.53	NA	NA	0.76
D	0.29	0.27	0.44	0.27	0.44
E	0.86	0.30	NA	0.28	0.86
F	0.53	0.53	NA	0.27	0.53
G	0.29	0.28	0.37	0.32	0.37
H	0.36	0.66	0.50	0.55	0.66
I	0.25	0.31	0.29	0.27	0.31
J	0.39	0.35	0.28	0.37	0.39
K	0.20	0.20	NA	NA	0.20
L	0.41	0.29	NA	NA	0.41
M	0.53	0.40	0.43	0.35	0.53
N	0.32	0.59	0.51	0.51	0.59
Mean ± SD (Except K)	0.56 ± 0.20 kg				

1 kg = 1 kilogram-force ≅ 9.8 newton

There were some missing data because babies:

- did not grasp the handgrip bar.
- did not show grasp reflex.
- attempted, but values were too weak (<0.2 kg) to be recorded.

Participant (K) could not be tested.

At least two measurements were obtained for each participant (Except for K).

## Conclusion

- ✓ Handgrip strength of children at the age of one month was close to 0.56 kg.
- ✓ This test appears to be applicable to one-month-old newborns and could further contribute to our understanding of neuromuscular development.

